

# MODEL DFS

## Building Heating Appliance Chimney



Sizes 4" through 8" with stainless steel inner for use with Selkirk Model DF neutral or negative draft venting system for venting gas fired appliances approved with B-Vent or on oil fired appliances with L-Vent.

### Features and Benefits:


- *Wide range of sizes to handle most applications*
- *Sturdy fit of collars for easy assembly*
- *Twist lock collars are easy to take apart*
- *Stainless steel inner*



# LENGTHS

For installed length, subtract 1" per joint

## Fixed Lengths




- Available in lengths of 12", 24", 36", 60"

Size	Part No.	Prod. Code	A	Length	Size	Part No.	Prod. Code	A	Length	Size	Part No.	Prod. Code	A	Length
4"	4DFS-12	904012	5"	12"	5"	5DFS-12	905012	6"	12"	6"	6DFS-12	906012	7"	12"
	4DFS-24	904024	5"	24"		5DFS-24	905024	6"	24"		6DFS-24	906024	7"	24"
	4DFS-36	904036	5"	36"		5DFS-36	905036	6"	36"		6DFS-36	906036	7"	36"
	4DFS-60	904060	5"	60"		5DFS-60	905060	6"	60"		6DFS-60	906060	7"	60"

Size	Part No.	Prod. Code	A	Length	Size	Part No.	Prod. Code	A	Length
7"	7DFS-12	907012	8"	12"	8"	8DFS-12	908012	10"	12"
	7DFS-24	907024	8"	24"		8DFS-24	908024	10"	24"
	7DFS-36	907036	8"	36"		8DFS-36	908036	10"	36"
	7DFS-60	907060	8"	60"		8DFS-60	908060	10"	60"

## Adjustable Lengths



- Used to adjust pipe to desired length
- Simply slides over another pipe length (Note: Do not use over an Elbow or Tee)
- Adjustable from 6" - 12"
- Includes Pipe Clamp

Size	Part No.	Prod. Code	A	Length	Size	Part No.	Prod. Code	A	Length	Size	Part No.	Prod. Code	A	Length
4"	4DFS-ADJ	904082	5"	6"-12"	5"	5DFS-ADJ	905082	6"	6"-12"	6"	6DFS-ADJ	906082	7"	6"-12"

Size	Part No.	Prod. Code	A	Length	Size	Part No.	Prod. Code	A	Length
7"	7DFS-ADJ	907082	8"	6"-12"	8"	8DFS-ADJ	908082	10"	6"-12"

# ELBOWS & TEES

For installed length, subtract 1" per joint

## 45 Degree Elbow




- Used to offset pipe around construction obstacles
- Three piece adjustable elbow twists for easy offsets

Size	Part No.	Prod. Code	A	Size	Part No.	Prod. Code	A	Size	Part No.	Prod. Code	A
4"	4DFS-45	904222	5"	5"	5DFS-45	905222	6"	6"	6DFS-45	906222	7"

Size	Part No.	Prod. Code	A	Size	Part No.	Prod. Code	A
7"	7DFS-45	907222	8"	8"	8DFS-45	908222	10"

## 90 Degree Elbow




- Used to orient pipe between vertical and horizontal orientation
- Four piece adjustable elbow twists for easy offsets

Size	Part No.	Prod. Code	A	Size	Part No.	Prod. Code	A	Size	Part No.	Prod. Code	A
4"	4DFS-90	904230	5"	5"	5DFS-90	905230	6"	6"	6DFS-90	906230	7"

Size	Part No.	Prod. Code	A	Size	Part No.	Prod. Code	A
7"	7DFS-90	907230	8"	8"	8DFS-90	908230	10"

## Standard Tee




- Used to transition system from horizontal to vertical orientation
- Provides easy access for inspection and maintenance
- Removable Tee Cap is included

Size	Part No.	Prod. Code	A	B	C	Size	Part No.	Prod. Code	A	B	C	Size	Part No.	Prod. Code	A	B	C
4"	4DFS-T	904100	5"	12"	3"	5"	5DFS-T	905100	6"	12"	3"	6"	6DFS-T	906100	7"	12"	3"
7"	7DFS-T	907100	8"	12"	3"	8"	8DFS-T	908100	10"	18"	3"						

## SUPPORTS


### Support Assembly



- Used to support pipe from the ceiling joist
- Supports up to 60 feet of pipe
- Centers pipe between floors and maintains 3 inch airspace clearance

Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B
4"	4DFS-SA	904400	5-1/8"	13"	5"	5DFS-SA	905400	6-1/8"	14"	6"	6DFS-SA	906400	7-1/8"	12"
7"	7DFS-SA	907400	8-1/8"	16"	8"	8DFS-SA	908400	10-1/8"	20"					

### Wall Band




- Used to stabilize the pipe against an outside wall
- Must be installed on the first Length above the Tee and every 6 feet thereafter
- Maintains 3 inch airspace clearance

Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B
4"	4DFS-WB	904431	5-1/8"	12"	5"	5DFS-WB	905431	6-1/8"	12"	6"	6DFS-WB	906431	7-1/8"	13"
7"	7DFS-WB	907431	8-1/8"	16"	8"	8DFS-WB	908431	10-1/8"	20"					

## FLASHINGS & STORM COLLAR


### Adjustable Roof Flashing



- Used to waterproof installations that penetrate the roof line
- Adjustable for 0/12 - 6/12 roof pitches

Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B
4"	4DFS-ARF	904825	5"	18"	5"	5DFS-ARF	905825	6"	20"	6"	6DFS-ARF	906825	7"	20"
7"	7DFS-ARF	907825	8"	20"	8"	8DFS-ARF	908825	10"	22"					

### Storm Collar



- Used to provide a weather proof seal to pipe above Roof Flashing
- Seal inner edge with hi-temp silicone sealant

Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B
4"	4DFS-SC	904810	5"	9"	5"	5DFS-SC	905810	6"	10"	6"	6DFS-SC	906810	9"	11"
7"	7DFS-SC	907810	8"	12"	8"	8DFS-SC	908810	10"	14"					


## Rain Cap



- Designed to prevent rain and snow from entering the pipe
- Twist lock coupler design

Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B
4"	4DFS-RC	904800	5"	9"	5"	5DFS-RC	905800	6"	10"	6"	6DFS-RC	906800	7"	11"
7"	7DFS-RC	907800	8"	12"	8"	8DFS-RC	908800	10"	14"					


## Firestop Spacer



- Used to protect combustible materials where the pipe passes through a ceiling or wall
- Can be installed above or below joist

Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B
4"	4DFS-FS	904461	5-1/8"	13"	5"	5DFS-FS	905461	6-1/8"	14"	6"	6DFS-FS	906461	7-1/8"	15"
7"	7DFS-FS	907461	8-1/8"	16"	8"	8DFS-FS	908461	10-1/8"	18"					

## Draft Hood Connector/Pipe Adapter



- Used to connect pipe to appliance

Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B	Size	Part No.	Prod. Code	A	B
4"	4DFS-PA	904110	5"	5-1/2"	5"	5DFS-PA	905110	6"	5-1/2"	6"	6DFS-PA	906110	7"	5-1/2"
7"	7DFS-PA	907110	8"	5-1/2"	8"	8DFS-PA	908110	10"	5-1/2"					

## Selkirk - Engineering Tomorrow's Solution

Selkirk representatives throughout North America are qualified to provide complimentary field service to assist contractors, builders, engineers and architects in designing Boiler Stacks and Breeching, Grease Ducts, Diesel and Turbine Exhausts, Marine Exhausts and Ducts, Freestanding Stack Systems, and Residential Chimney and Gas Vent Systems. Contact the Selkirk Sales Office for assistance.

### Model DFS Product Overview

#### Diameters:

4" - 8"

#### Clearance to Combustibles:

1" as B-Vent 3" as L-Vent

#### Materials:

Outer - Galvalume  
Inner - Type 304 Stainless Steel

#### Standard Pieces:

Lengths  
Adjustable Lengths  
Elbows: 45° & 90°  
Support Assembly  
Wall Bands  
Roof Flashing

Tee w/ Cap  
Rain Cap  
Pipe Adaptor  
Firestop Spacer  
Storm Collar  
Roof Support

#### Listing:

Listed by U.L.I. to Standard ULI641 (U.S.A.)  
and to U.L.C. Standard S609 (Canada)

#### Special Order Pieces:

Increases (4" to 8" DFS inlets with  
any 10" to 24" DF outlets)



RESIDENTIAL AND COMMERCIAL: VENT | CHIMNEY | GRILLES | REGISTERS | DIFFUSERS

United States  
5030 Corporate Exchange Blvd.  
Grand Rapids, MI 49512

1.800.992.VENT (8368)  
info@selkirkcorp.com



selkirkcorp.com

Canada  
375 Green Road  
Stoney Creek, ON L8E 4A5

1.888.SELKIRK (735.5475)  
cscanada@selkirkcorp.com